

UPS Solutions for your business



EATON

Powering Business Worldwide

Single phase UPS

Eaton 3105

Standby topology
(off-line)

350/500 VA

- 6 Schuko or 8 IEC outlets
- Phone line protection
- USB port and power management software as standard
- User-replaceable batteries
- Compact design fits on/under the desk or mounts on the wall



Eaton 5115

Line-interactive topology

500/750/1000/1400 VA

- Automatic Voltage Regulation (AVR) with sinewave output
- Optimizes battery life time with ABM technology
- Hot-swappable batteries
- Data line protection
- USB, serial port and power management software as standard



Eaton 5125

Line-interactive topology

1000/1500/2200 VA

- Automatic Voltage Regulation (AVR) with sinewave output
- Optimizes battery life time with ABM technology
- Load segment control
- Hot-swappable batteries
- Long backup time capability
- Slot for optional Management Cards



Eaton 9130

Double conversion topology
(on-line)

700 to 3000 VA

- Online double conversion topology with internal bypass
- 0.9 Power factor
- Optimizes battery life time with ABM technology
- Graphical LCD display
- Load segment control
- Hot swappable batteries
- Long backup time capability
- USB + Serial port and slot for optional Management Cards



Eaton 9135

Double conversion topology
(on-line)

5000/6000 VA

- Online double conversion topology with internal bypass
- Rack/Tower convertible (3U)
- 0.9 Power factor
- Multilingual LCD display
- Load segment control
- Hot swappable battery and power modules
- Long backup time capability
- USB + Serial port and slot for optional Management Cards



Eaton 5110

Line-interactive topology

500/700/1000 VA

- Automatic Voltage Regulation (AVR)
- Phone line protection
- USB port and power management software as standard
- User-replaceable batteries
- Can be deployed as a tower or under a computer monitor



Eaton 5115 RM

Line-interactive topology

500/750/1000/1500 VA

- Automatic Voltage Regulation (AVR) with sinewave output
- Optimizes battery life time with ABM technology
- Conserves valuable space with 1U rack height
- Load segment control
- Hot-swappable batteries
- USB + Serial port and slot for optional Management Cards



Eaton 5130

Line-interactive topology

1250/1750/2500/3000 VA

- Automatic Voltage Regulation (AVR) with sinewave output
- Two-in-one form factor (rack or tower)
- 0.9 Power factor
- Load segment control
- Hot-swappable batteries
- Long backup time capability
- USB + Serial port and slot for optional Management Cards



Eaton 9120

Double conversion topology
(on-line)

5000/6000 VA

- Online double conversion topology with internal bypass
- Optimizes battery life time with ABM technology
- Intuitive LCD display
- Hot swappable batteries
- Long backup time capability
- USB + Serial port and slot for optional Management Cards



Eaton 9140

Double conversion topology
(on-line)

7500/10000 VA

- Online double conversion topology with internal bypass
- Up to 10 kVA of power in only 6U
- Optimizes battery life time with ABM technology
- Intuitive LCD display
- Hot swappable battery and power modules
- Long backup time capability
- USB + Serial port and slot for optional Management Cards



Three-phase UPS

Eaton 9155 3:1 Eaton 9355 3:3

Double conversion topology
(on-line)

15 - 30 kVA, 8 - 40 kVA

- Optimised to protect modern IT equipment (output p.f. 0,9)
- Market leading internal battery runtime
- up to 4 UPSs can be paralleled to increase availability or add capacity
- ABM® technology extends battery life time up to 50%
- Compact and easy to install



Eaton BladeUPS 3:3

Double conversion topology
(online) on demand

12 kW to 60 kW

- Optimised for the Data Centre environment
- Up to 60 kW with bypass, in a standard 42U rack
- Up to 97% efficiency to minimise operating and cooling costs
- Upgradeable to adapt to constant changes in Data Centres
- ABM® technology extends battery life time up to 50%



Eaton 9390 3:3

Double conversion topology
(on-line)

40-160 kVA

- High efficiency and performance
- Optimised to protect modern IT equipment (output p.f. 0,9)
- up to 6 UPSs can be paralleled to increase availability or add capacity
- ABM® technology extends battery life time up to 50%
- Front access for easy maintenance and space saving.



Eaton 9395 3:3

Double conversion topology
(on-line)

225 - 1100 kVA

- The most powerful UPS on the market today
- Very high efficiency, even at the lowest loads
- The best choice for data centres and large industry applications
- Optimised to protect modern IT equipment (output p.f. 0,9)
- up to 5 UPSs can be paralleled to increase availability or add capacity
- ABM® technology extends battery life time up to 50%



Software & Accessories

Eaton ePDU®

Eaton ePDUs complement your UPS systems, distributing power anywhere conditioned power must be supplied to multiple pieces of equipment.

Basic ePDU (BA) features rugged construction and flexible mounting options.

Metered ePDU (ME) offers the EasyRead Digital LED Ammeter for easy start-up and provisioning of servers.

Monitored ePDU (MI) offers customers a choice of remotely monitoring the current draw of individual outlets via Ethernet. It also includes the EasyRead Digital LED Ammeter for easy start-up and provisioning of servers.

Managed ePDU (MA) features advanced LED display, remote monitoring and management of individual outlets.

User-definable sequencing of outlets and time delays permit controlled remote boot-up of servers. Virtual grouping of outlets allows single-click reboot of multicorded servers.



Eaton Management Software

UPS management software for supervision and system shutdown

Intelligent Power® Manager

- Easy management of multiple UPSs and ePDUs
- Simple to deploy, based on international standards
- Advanced control options for power supply systems



An Eaton Green Solution

Eaton has developed a rigorous internal environmental certification process called the Eaton Green Leaf based on the guidelines of major international standards bodies. Although all of Eaton's products and solutions are designed to meet or exceed government standards for protecting the environment, products and solutions with the Green Leaf designation go well beyond these standards to provide exceptional environmental benefit.

In addition to the wide product portfolio Eaton has a comprehensive range of service packages to match different type of maintenance needs and budgets.

For assistance with your power quality needs, contact your local Eaton service and sales representatives.

Europe, Middle East & Africa

Headquarters

Route de la Longeraie 7
1110 Morges, Switzerland
Tel. +41 21 811 4600

Middle East & Africa Head Office & French Dom-Tom

Immeuble le Viseo – Bâtiment A
Innovallee - 110, rue Blaise Pascal
38 334 St Ismier cedex, France
Tel. +33 4 76 00 65 00
Email mea-area@eaton.com

Algeria

Lot B, Impasse de l'Olivage, 16070
El-Mouradia
Alger
Tel. +213 21 69 40 07
Northafrica@eaton.com

Belgium

Oude Vijversstraat 44-46
Rue des Anciens Etangs 44-46
B – 1190 Bruxelles-Brussel
Tel. +32-(0)2-348 44 10
Belgium-info@eaton.com

Central Asia and Caucasus region

154, Osennaya str.,
050037 Almaty, Kazakhstan
Tel. +7 727 3172543
MiddleEast@eaton.com

Czech Republic

V Parku 2336/22
148 00, Prague 4
Tel. +420 234 769 500
UPSInfoczech@eaton.com

Denmark

Generatorvej 8 A
DK-2730 Herlev
Tel. +45 368 67 910
UPSSalesdenmark@eaton.com

Egypt

Nile City Towers, North Towers,
Cornish El Nil
22rd Floor, P.O.Box 1411624
Cairo
Tel. +202 246 18 5 21
Northafrica@eaton.com

Finland

Koskelontie 25
02920 Espoo, PL 54
Tel. +358 9 452 661
Myynti@eaton.com

France

ZAC des Delâches – Gometz le Châtel
91940 Les Ulis
BP 1077
Tel. 0 800 33 68 58
onduleurfrance@eaton.com

Germany

Karl-Bold Strasse 40
77855 Achern
Tel. +49 7841 604 0
infogermany@eaton.com

Greece

2-4 Mesogeion Ave,
Athens Tower - 21st Floor,
115 27, Athens
tel: +30 210 7454 336-7

Italy

Tel. +39 02 955 421
Via Matteotti 8
20060 Pessano Con Bornago (Milano)
MarketingEmp@eaton.com

Jordan

Khalda Commercial St.
Esbisuti Complex, 2nd floor.
P.O. BOX 211382 Amman 11121
Tel. +962 6 53 714 29
MiddleEast@eaton.com

Middle East, East Africa & Central Asia

307-308, Lease office Building 15
PO BOX 17631 – Jebel Ali Free Zone
Dubai, United Arab Emirates
Tel. +971 4 881 1933
MiddleEast@Eaton.com

The Netherlands

Toermalijnring 528
NL - 3316 LC Dordrecht
Tel. +31 (0) 78 652 16 80
netherlands-info@eaton.com

Norway

Rosenholmveien 25
P.O. Box 686 Bedriftsenteret
1411 Kolbotn
Tel: +47 23 03 65 50
salesnorway@eaton.com

North Africa

Espace Porte d'Anfa, Bat. B
2eme etage No5
Casablanca, Morocco
Tel. + 212 5 22 95 77 40
NorthAfrica@eaton.com

Poland

17-go Stycznia 45a Str.
02-146 Warsaw
Tel. +48 22 320 38 00
upssalespoland@eaton.com

Portugal

Rua Rui Teles Palhinha, 4 Leião
2740-278 Porto Salvo
Tel. + 351 21 421 74 30
geral@eaton.com

Russia

Electrozavodskaya str.33, building 4
107076 Moscow
Tel. +7 495 981 37 70
UPSRussia@eaton.com

Saudi Arabia

Arch Tower WTC, King Fahad Road,
Second Floor, Office Number: 211,
P.O. Box 8953, Riyadh 12214 KSA
Tel. +966 1 2795215
MiddleEast@eaton.com

Slovakia

Vajnorska 89
831 04 Bratislava
Tel. +421 244 637 046
UPSInfoSlovakia@eaton.com

Spain

Avda. de la fama nº16-20
08940 Cornellà de Llobregat
(Barcelona)
Tel. +34 902 104 220
info.es@eaton.com

Sub-Saharan Africa

Bietry, rue du Canal
Lot No 313/314, Ilot 2, Zone 4C
Abidjan, Cote D'Ivoire
Tel. +225 212 415 12
SubsaharanAfrica@eaton.com

Sweden

Kista Science Tower
164 51 Kista
Tel. +46 8 598 940 00
infosweden@eaton.com

Tunisia

9 bis imp. N°3 Rue 8612
Z.I. La Charguia
2035 Tunis
Tel. +216 71205073
Northafrica@eaton.com

Turkey

Barbaros Mah.Halk Cad.No:6
Palladium Alisveris Merkezi Residence
Kat:2 Kozyatagi, Istanbul
Tel. +90 216 663 61 09
MiddleEast@eaton.com

UK and South Africa

Eaton Power Quality Ltd
221 Dover Road
Slough Berkshire
SL1 4RF, England
Tel. +44 (0) 1753 608 700
acupowerware@eaton.com

www.eaton.com/powerquality

Eaton, Powerware, BladeUPS, ePDU,
Intelligent Power and An Eaton Green
Solutions are trade names, trademarks, and/
or service marks of Eaton Corporation or
its subsidiaries and affiliates. © 2010 Eaton
Corporation. All Rights Reserved.
Eaton UPS Quick Catalogue, Powerware
Series, 00BROC1018152 Rev B,
January 2010
eaton.com/powerquality